

**CLAIMS**

1. - 5. (Cancelled)

6. (currently amended) A method for initiating a phone call between first and second users, the method comprising the steps of:

receiving a call initiation request from the first user representing a desire to establish a phone call with a specific second user identified by the first user, the call initiation request including a primary phone number corresponding to a first user;

storing the primary phone number to a computer readable memory;

requesting an authorization from a second user to initiate the call by which the second user consents to the call,

dialing the primary phone number upon receiving the authorization from the second user; and

deleting the primary phone number from the memory.

7 (original) The method of claim 6 further including the steps of transmitting an authorization request to a wireless phone user interface.

8. (original) The method of claim 6 further including the step of transmitting an authorization request to a land line connection.

9. (currently amended) The method of claim 6 further including the step of receiving a line of sight signal by the second user transmitted by the first user by which the first user identifies the specific second user, the line of sight signal including the call initiation request.

10-11. (cancelled)

12. (previously presented) The method of claim 6 further including the step of deleting the primary phone number from the memory upon receiving a denial from the

second user.

13. (cancelled)

14. (currently amended) A wireless call management system comprising:

a computer readable memory for storing the phone numbers corresponding to the remote users

a request module for transmitting outgoing call initiation requests to a specific remote users based on a local requests from a local user where the local user identifies the specific remote user with which a call is desired to be established, the outgoing call initiation requests including a phone number corresponding to the local user;

an initiation module for requesting authorizations from the local user based on incoming call initiation request by which the local user consents to the call from a remote user, the initiation module further operable to store the phone numbers associated with the incoming call initiation requests in the computer readable memory and to delete the phone number from the computer readable memory at a subsequent time; and

a wireless phone user interface for generating the outgoing call initiation requests based on the local requests for initiation of phone calls, the user interface further transmitting authorization requests to the local user based on the incoming call initiation requests.

15 (cancelled)

16 (original) The call management system of claim 14 further including a signaling system for transmitting the outgoing call initiation requests and receiving the incoming call initiation requests.

17. (currently amended) The call management system of claim 16 wherein the signaling system transmits and receives line of sight signals that enable the local user to specifically identify the remote user with which a call is desired to be established.

18. (original) The call management system of claim 17 wherein the signaling system includes an infrared transceiver for transmitting and receiving infrared signals.

19. (currently amended) AThe method of claim 6 wherein the step of deleting the primary phone number from the memory for initiating a phone call, the method comprising the steps of:

~~receiving a call initiation request, the call initiation request including a primary phone number corresponding to a first user;~~  
~~storing the primary phone number to a computer readable memory;~~  
~~requesting an authorization from a second user to initiate the call; and~~  
deleting the primary phone number from the memory after a predetermined period of time.

20 (previously presented) The method of Claim 19 wherein the call initiation request is received in a line of sight signal.

21 (previously presented) The method of Claim 19 further comprises dialing the primary phone number upon receiving the authorization.

22. (currently amended) A method for initiating a phone call between first and second users, the method comprising the steps of:

receiving a call initiation request from the first user representing a desire to establish a phone call with a specific second user identified by the first user, the call initiation request including a primary phone number corresponding to a first user;  
storing the primary phone number to a computer readable memory;  
requesting an authorization from a second user to initiate the call by which the second user consents to the call; and  
deleting the primary phone number from the memory upon receiving a denial from the second user.

23. (previously presented) The method of Claim 22 wherein the call initiation request is received in a line of sight signal.

24. (previously presented) The method of Claim 22 further comprises dialing the primary phone number upon receiving the authorization.